



RAPORT PRACY WIRÓWKA

Data/ godz	Ilość/Skład	Pobór ścieku	Pobór poielekt.	Pobór wody	Waga osadu	Energia	Pracownik	podpis	
24.05 2013	27	T	40745	409696	415127	1180	0,15	Włkoczek	<i>Włkoczek</i>
		R	4071	413171	418966	1240			
		I	4071	413171	418966	1240			
24.05 2013	20	T	4092	413171	418966	1340	0,15	Dariusz	<i>Maniowski</i>
		R	4092	415495	421115	1120			
		I	4092	415495	421115	1120			
27.05 2013	25	T	4109	418188	423734	1100	0,15	Daniel	<i>Urschinski</i>
		R	4136	421204	426735	1200			
		I	4136	421204	426735	1200			
27.05 2013	20	T	4136	421204	426735	1180	0,15	Dariusz	<i>Maniowski</i>
		R	4145	423666	429365	1240			
		I	4145	423666	429365	1240			
28.05 2013	25	T	4145	423666	429365	1300	0,15	Daniel	<i>Urschinski</i>
		R	4159	425118	431600	1200			
		I	4159	425118	431600	1060			
29.05 2013	50	T	4154	424818	434600	1450	0,15	Daniel	<i>Urschinski</i>
		R	4200	430223	436950	1060			
		I	4200	430223	436950	1250			
31.05 2013	28	T	4200	430323	436750	1300	0,15	Dariusz	<i>Maniowski</i>
		R	4228	433543	439247	1240			
		I	4228	433543	439247	1280			
	10	T	4228	433543	439247	1326	0,15	Dariusz	<i>Maniowski</i>
		R	4238	434700	440550				
		I	4238	434700	440550				
03.06 2013	9	T	4238	434700	440550	1560	0,15	Daniel	<i>Urschinski</i>
		R	4247	435056	441662	860			
		I	4247	435056	441662	860			
04.06 2013	16	T	4242	435696	441662	1180	0,15		
		R	4263	437796	441662	1020			
		I	4263	437796	441662	1020			
05.06 2013	9	T	4265	437796	443970	1180	0,15	Dariusz	<i>Maniowski</i>
		R	4272	438588	445282	1020			
		I	4272	438588	445282	1020			
06.06 2013	11	T	4272	438588	445282		0,15	Daniel	<i>Urschinski</i>
		R	4288	439921	446571				
		I	4288	439921	446571				
06.06 2013	26	T	4288	439921	446571	1340	0,15	Dariusz	<i>Maniowski</i>
		R	4314	442264	448443	1360			
		I	4314	442264	448443	1320			
07.06 2013	17	T	4314	442264	448443	1350	0,15	Włkoczek	<i>Włkoczek</i>
		R	4321	443682	449915	1220			
		I	4321	443682	449915	1220			
07.06 2013	15	T	4334	443682	449915	1340	0,15	Dariusz	<i>Maniowski</i>
		R	4341	443682	449915	1180			
		I	4341	443682	449915	1180			
09.06 2013	16	T	4346	444652	450939	1180	0,15	Dariusz	<i>Maniowski</i>
		R	4362	445988	452558	1320			
		I	4362	445988	452558	1320			

Przebieg
Ścieku
we rotacji